

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11245	"database management system"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/21 11:25
S3	65	neighborhood adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 17:54
S4	0	S3 and data adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 11:16
S5	0	free adj2 space adj2 tuple	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 15:56
S6	4	free with space with tuple	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 11:59
S7	81	index with space with lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 11:59
S9	4	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 17:49
S10	0	("nonadj2serializablewithtransaction").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/20 12:43
S11	7	non adj2 serializable with transaction	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 15:18
S12	10	neighborhood adj2 locking	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 15:12
S13	6	index with space with lock and ("707/").ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 15:13
S14	1	non adj2 serializable with lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 15:18
S15	59	free adj2 space adj2 record	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 15:56
S16	136	free adj2 space adj4 (record or tuple)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 15:57
S17	45	free adj2 space adj4 (record or tuple) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 16:43

EAST Search History

S18	6	space adj2 between adj4 (record or tuple) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 16:02
S19	3	"first locking mode" same "second locking mode"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 16:45
S20	0	non-serializable adj2 scan	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 16:45
S21	0	non\$1serializable adj2 (scan or search or query)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 16:47
S22	6	non\$1serializ\$ adj2 (scan or search or query or transaction)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 16:47
S23	4	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/03/20 17:49
S24	33	database with lock with serial	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/20 17:54
S25	163	database same lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 15:30
S26	26	partial adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 13:30
S27	9	data adj2 item adj2 lock with database	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 13:07
S28	0	free adj space adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 13:58
S29	1	free adj space with lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 13:59
S32	37	partial with lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:06
S33	84	partial\$ with lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:06
S34	1	partial\$ with lock with row with space	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:07

EAST Search History

S35	3	partial\$ with lock with row and ("707/")".ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:10
S36	148	index with tuples with table	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:11
S37	38	index with tuples with table and ("707/")".ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:39
S38	4638	space adj2 between adj2 (row or tuples or objects)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:40
S39	4305	space adj2 between adj2 (row or tuples or data)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:41
S40	104	space adj2 between adj2 (row or tuples or data) same lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:41
S41	18	space adj2 between adj2 (row or tuples or data) with lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:42
S42	4	space adj2 between adj2 (row or tuples or data) with data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 15:01
S43	23	"hash lock"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 15:01
S44	64	database same lock with "data item"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 15:45
S45	109	lock\$ with mode with database	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 15:56
S46	2	row adj index with lock same data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:09
S47	49	snei	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:10
S48	18	xnei	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:11
S49	89	database with lock\$ with scheme	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:26

EAST Search History

S50	1	"index lock scheme"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:26
S51	1	index adj2 lock adj2 scheme	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:36
S52	15	access adj privileges with (data adj item)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:43
S53	15	still adj2 allow adj2 read	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:45
S54	567	"tree index" and database	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:45
S55	125	"tree index" and database and lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:46
S56	20	"tree index" and database and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:50
S57	19	"tree index" and ("707/").ccls. and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 16:50
S58	15	new adj2 lock adj2 mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/23 09:59
S59	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 13:36
S60	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 13:38
S61	6	(non-serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 13:56
S62	29	non-serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 14:30

EAST Search History

S63	31	non adj serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:29
S64	9	new adj lock adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 14:23
S65	657	range adj locking	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 15:22
S66	1820	range adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 15:21
S67	0	(neighborhood range) adj lock\$3 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 15:22
S68	121	(neighborhood range) adj lock\$3 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 15:29
S69	88	(neighborhood range) adj lock\$3 and "707".ccls. and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 15:45
S70	1	("5485607").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/10/03 15:45
S71	0	("nonadjserializableadjlock").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/10/03 16:29
S72	0	non adj serializab\$5 adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:30

EAST Search History

S73	0	non adj serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:30
S74	0	non-serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:30
S75	0	non-serializab\$5 with scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:30
S76	1	non-serializab\$5 with lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 16:11
S77	0	non-serializab\$5 with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:50
S78	0	non-serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:51
S79	1807	serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:51
S80	95	serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:53
S81	0	nonserializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:53
S82	0	non-serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:53

EAST Search History

S83	0	non-serializ\$ adj (read scan lock)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:54
S84	2	non-serializ\$ adj (read scan lock transaction)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:57
S85	139533	sn	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 16:57
S86	9	sn adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 18:23
S87	3	new adj lock adj modes same (dbms database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 18:31
S88	283	index adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 18:34
S89	29	index adj lock and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 18:58
S90	3	index adj lock and (lock near2 item)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 18:36
S91	40	read adj lock with (neighborhood space index)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 19:00
S92	21	read adj lock with (neighborhood space)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/03 19:00

EAST Search History

S93	0	database near index with free adj space	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 09:39
S94	4	(database near index) same (free adj space)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 09:39
S95	160	(database near index) same (space)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 09:41
S96	2	(database near index) same (space) and \$serializable	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 09:53
S97	60	neighborhood near lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 10:52
S98	0	neighborhood near lock and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 09:53
S99	2027	range near lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 10:52
S100	136	range near lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 11:08
S101	2	range near lock\$3 and MGL	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 11:09
S102	2	range near lock\$3 and (MGL or "multigranularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 11:10
S103	3	range near lock\$3 and (MGL or "multi-granularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 11:53
S104	11	range near between near (tuples records)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 11:54
S105	1	non-serializab\$5 with (lock scan read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 16:15
S106	346	additional with lock with mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 16:15

EAST Search History

S10 7	7	additional with lock with mode and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 16:16
S10 8	64	(new additional) with lock with mode and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 16:21
S10 9	27	non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/05 16:05
S11 0	6	non-serializable with (transaction mode read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 16:28
S11 1	506	index adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 16:28
S11 2	43	index adj lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 17:39
S11 3	0	s-non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/04 17:39
S11 4	4005	(two multiple) with lock\$3 with mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 09:16
S11 5	65	(two multiple) with lock\$3 with mode and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 09:18
S11 6	22	(two multiple) near2 lock\$3 with mode and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 13:44
S11 7	211	index with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 18:16

EAST Search History

S11 8	1	("6618720").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/10/05 15:16
S11 9	27	non-serializable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:06
S12 0	300	neighborhood with lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:06
S12 1	0	neighborhood with lock and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:06
S12 2	1	neighborhood with lock and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:12
S12 3	91	non-serializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:13
S12 4	6	non-serializ\$4 with (read lock write)\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:13
S12 5	6	non-serializ\$4 with (read lock write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:13
S12 6	76	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 16:28

EAST Search History

S12 7	76	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:31
S12 8	37	index near2 lock\$3 same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:06
S12 9	1892	mohan.in.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 18:17
S13 0	37	mohan-chandrasekaran.in.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 18:17
S13 1	1	("20050289188").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/10/07 16:58
S13 2	0	xw adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/07 17:53
S13 3	1	("6009425").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/10/07 17:53
S13 4	37	("3916387" "4677550" "4754326" "4821336" "4823310" "4914569" "4945474" "4965516" "5010478" "5123104" "5218696" "5230047" "5237678" "5430869" "5440732" "5475837" "5485607" "5490258" "5495609" "5537574" "5551027" "5551046" "5560007" "5694608" "5717919" "5812996" "5832508").PN. OR ("6009425").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/07 17:53
S13 5	10	("6009425").URPN.	USPAT	OR	ON	2006/10/07 17:59
S13 6	13001	"database management system"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51

EAST Search History

S13 7	70	neighborhood adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S13 8	0	S137 and data adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S13 9	0	free adj2 space adj2 tuple	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 0	4	free with space with tuple	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 1	82	index with space with lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 2	5	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 3	70	neighborhood adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 4	0	("nonadj2serializablewithtransaction ").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 09:51
S14 5	7	non adj2 serializable with transaction	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 6	10	neighborhood adj2 locking	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 7	7	index with space with lock and ("707/").ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 8	1	non adj2 serializable with lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S14 9	67	free adj2 space adj2 record	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 0	149	free adj2 space adj4 (record or tuple)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 1	51	free adj2 space adj4 (record or tuple) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51

EAST Search History

S15 2	7	space adj2 between adj4 (record or tuple) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 3	4	"first locking mode" same "second locking mode"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 4	0	non-serializable adj2 scan	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 5	0	non\$1serializable adj2 (scan or search or query)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 6	6	non\$1serializ\$ adj2 (scan or search or query or transaction)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 7	5	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/11/07 09:51
S15 8	40	database with lock with serial	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S15 9	184	database same lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 0	12	data adj2 item adj2 lock with database	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 1	29	partial adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 2	0	free adj space adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 3	2	free adj space with lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 4	37	partial with lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 5	84	partial\$ with lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 6	1	partial\$ with lock with row with space	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51

EAST Search History

S16 7	3	partial\$ with lock with row and ("707/")".ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 8	178	index with tuples with table	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S16 9	43	index with tuples with table and ("707/")".ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 0	4808	space adj2 between adj2 (row or tuples or objects)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 1	4461	space adj2 between adj2 (row or tuples or data)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 2	105	space adj2 between adj2 (row or tuples or data) same lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 3	18	space adj2 between adj2 (row or tuples or data) with lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 4	4	space adj2 between adj2 (row or tuples or data) with data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 5	25	"hash lock"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 6	74	database same lock with "data item"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 7	119	lock\$ with mode with database	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 8	2	row adj index with lock same data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S17 9	51	snei	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 0	18	xnei	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 1	94	database with lock\$ with scheme	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51

EAST Search History

S18 2	1	"index lock scheme"	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 3	1	index adj2 lock adj2 scheme	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 4	16	access adj privileges with (data adj item)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 5	17	still adj2 allow adj2 read	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 6	627	"tree index" and database	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 7	138	"tree index" and database and lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 8	20	"tree index" and database and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S18 9	19	"tree index" and ("707/").ccls. and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S19 0	18	new adj2 lock adj2 mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S19 1	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S19 2	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S19 3	6	(non-serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S19 4	9	new adj lock adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51

EAST Search History

S19 5	29	non-serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S19 6	31	non adj serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S19 7	1837	range adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S19 8	0	(neighborhood range) adj lock\$3 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S19 9	666	range adj locking	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S20 0	125	(neighborhood range) adj lock\$3 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S20 1	90	(neighborhood range) adj lock\$3 and "707".ccls. and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S20 2	1	("5485607").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 09:51
S20 3	0	("nonadjserializableadjlock").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 09:51
S20 4	0	non adj serializab\$5 adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51

EAST Search History

S20 5	0	non adj serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S20 6	0	non-serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S20 7	0	non-serializab\$5 with scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S20 8	1	non-serializab\$5 with lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S20 9	0	non-serializab\$5 with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 0	0	non-serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 1	1835	serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 2	95	serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 3	0	nonserializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 4	0	non-serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51

EAST Search History

S21 5	0	non-serializ\$ adj (read scan lock)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 6	2	non-serializ\$ adj (read scan lock transaction)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 7	140671	sn	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 8	9	sn adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S21 9	3	new adj lock adj modes same (dbms database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S22 0	284	index adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S22 1	29	index adj lock and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S22 2	3	index adj lock and (lock near2 item)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S22 3	41	read adj lock with (neighborhood space index)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S22 4	22	read adj lock with (neighborhood space)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51

EAST Search History

S22 5	0	database near index with free adj space	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S22 6	162	(database near index) same (space)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S22 7	5	(database near index) same (free adj space)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S22 8	2	(database near index) same (space) and \$serializable	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S22 9	0	neighborhood near lock and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 0	61	neighborhood near lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 1	2044	range near lock	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 2	140	range near lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 3	2	range near lock\$3 and MGL	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 4	2	range near lock\$3 and (MGL or "multigranularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 5	3	range near lock\$3 and (MGL or "multi-granularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 6	11	range near between near (tuples records)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S23 7	1	non-serializab\$5 with (lock scan read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S23 8	349	additional with lock with mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51

EAST Search History

S23 9	7	additional with lock with mode and "707/" .ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S24 0	65	(new additional) with lock with mode and "707/" .ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S24 1	27	non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S24 2	6	non-serializable with (transaction mode read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S24 3	509	index adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S24 4	43	index adj lock\$3 and "707/" .ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S24 5	0	s-non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S24 6	4038	(two multiple) with lock\$3 with mode	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S24 7	65	(two multiple) with lock\$3 with mode and ("707/") .ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S24 8	22	(two multiple) near2 lock\$3 with mode and ("707/") .ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S24 9	212	index with lock and ("707/") .ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51

EAST Search History

S25 0	1	("6618720").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 09:51
S25 1	27	non-serializable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S25 2	303	neighborhood with lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S25 3	0	neighborhood with lock and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S25 4	1	neighborhood with lock and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S25 5	93	non-serializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S25 6	6	non-serializ\$4 with (read lock write)\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S25 7	6	non-serializ\$4 with (read lock write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S25 8	77	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51

EAST Search History

S25 9	77	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S26 0	37	index near2 lock\$3 same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:51
S26 1	1907	mohan.in.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S26 2	37	mohan-chandrasekaran.in.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S26 3	1	("20050289188").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 09:51
S26 4	0	xw adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/07 09:51
S26 5	1	("6009425").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 09:51
S26 6	37	("3916387" "4677550" "4754326" "4821336" "4823310" "4914569" "4945474" "4965516" "5010478" "5123104" "5218696" "5230047" "5237678" "5430869" "5440732" "5475837" "5485607" "5490258" "5495609" "5537574" "5551027" "5551046" "5560007" "5694608" "5717919" "5812996" "5832508").PN. OR ("6009425").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 09:51
S26 7	10	("6009425").URPN.	USPAT	OR	ON	2006/11/07 09:51
S27 0	13806	"database management system"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S27 1	70	neighborhood adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S27 2	0	S271 and data adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S27 3	0	free adj2 space adj2 tuple	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S27 4	4	free with space with tuple	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S27 5	82	index with space with lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S27 6	5	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S27 7	70	neighborhood adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S27 8	0	("nonadj2serializablewithtransaction ").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/23 15:10
S27 9	7	non adj2 serializable with transaction	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 0	10	neighborhood adj2 locking	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 1	7	index with space with lock and ("707/").ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 2	1	non adj2 serializable with lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 3	69	free adj2 space adj2 record	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 4	154	free adj2 space adj4 (record or tuple)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 5	52	free adj2 space adj4 (record or tuple) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S28 6	7	space adj2 between adj4 (record or tuple) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 7	4	"first locking mode" same "second locking mode"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 8	0	non-serializable adj2 scan	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S28 9	0	non\$1serializable adj2 (scan or search or query)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 0	6	non\$1serializ\$ adj2 (scan or search or query or transaction)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 1	5	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/02/23 15:10
S29 2	41	database with lock with serial	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 3	195	database same lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 4	12	data adj2 item adj2 lock with database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 5	29	partial adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 6	0	free adj space adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 7	2	free adj space with lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 8	37	partial with lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S29 9	188	index with tuples with table	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 0	44	index with tuples with table and ("707/").ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S30 1	4881	space adj2 between adj2 (row or tuples or objects)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 2	4520	space adj2 between adj2 (row or tuples or data)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 3	105	space adj2 between adj2 (row or tuples or data) same lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 4	18	space adj2 between adj2 (row or tuples or data) with lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 5	4	space adj2 between adj2 (row or tuples or data) with data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 6	25	"hash lock"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 7	78	database same lock with "data item"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 8	125	lock\$ with mode with database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S30 9	2	row adj index with lock same data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 0	51	snei	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 1	18	xnei	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 2	96	database with lock\$ with scheme	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 3	1	"index lock scheme"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 4	1	index adj2 lock adj2 scheme	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 5	16	access adj privileges with (data adj item)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S31 6	18	still adj2 allow adj2 read	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 7	654	"tree index" and database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 8	144	"tree index" and database and lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S31 9	22	"tree index" and database and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S32 0	21	"tree index" and ("707/").ccls. and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S32 1	19	new adj2 lock adj2 mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S32 2	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S32 3	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S32 4	6	(non-serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S32 5	10	new adj lock adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S32 6	32	non-serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S32 7	34	non adj serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S32 8	1876	range adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S32 9	0	(neighborhood range) adj lock\$3 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S33 0	678	range adj locking	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S33 1	136	(neighborhood range) adj lock\$3 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S33 2	100	(neighborhood range) adj lock\$3 and "707".ccls. and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S33 3	1	("5485607").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S33 4	0	("nonadjserializableadjlock").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S33 5	0	non adj serializab\$5 adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S33 6	0	non adj serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S33 7	0	non-serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S33 8	0	non-serializab\$5 with scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S33 9	1	non-serializab\$5 with lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 0	0	non-serializab\$5 with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 1	0	non-serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 2	1914	serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 3	98	serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 4	0	nonserializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 5	0	non-serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 6	0	non-serializ\$ adj (read scan lock)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 7	2	non-serializ\$ adj (read scan lock transaction)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S34 8	144099	sn	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S34 9	9	sn adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S35 0	3	new adj lock adj modes same (dbms database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S35 1	296	index adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S35 2	29	index adj lock and "707/" .ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S35 3	3	index adj lock and (lock near2 item)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S35 4	43	read adj lock with (neighborhood space index)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S35 5	22	read adj lock with (neighborhood space)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S35 6	0	database near index with free adj space	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S35 7	176	(database near index) same (space)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S35 8	5	(database near index) same (free adj space)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S35 9	3	(database near index) same (space) and \$serializable	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 0	0	neighborhood near lock and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 1	61	neighborhood near lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 2	2091	range near lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 3	152	range near lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 4	2	range near lock\$3 and MGL	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 5	2	range near lock\$3 and (MGL or "multigranularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 6	3	range near lock\$3 and (MGL or "multi-granularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 7	12	range near between near (tuples records)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S36 8	1	non-serializab\$5 with (lock scan read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S36 9	354	additional with lock with mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S37 0	8	additional with lock with mode and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S37 1	66	(new additional) with lock with mode and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S37 2	30	non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S37 3	6	non-serializable with (transaction mode read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S37 4	524	index adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S37 5	45	index adj lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S37 6	0	s-non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S37 7	4179	(two multiple) with lock\$3 with mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S37 8	72	(two multiple) with lock\$3 with mode and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S37 9	28	(two multiple) near2 lock\$3 with mode and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S38 0	225	index with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S38 1	1	("6618720").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S38 2	30	non-serializable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S38 3	308	neighborhood with lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S38 4	0	neighborhood with lock and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S38 5	2	neighborhood with lock and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S38 6	104	non-serializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S38 7	6	non-serializ\$4 with (read lock write)\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S38 8	6	non-serializ\$4 with (read lock write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S38 9	81	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S39 0	81	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S39 1	40	index near2 lock\$3 same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S39 2	1990	mohan.in.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S39 3	37	mohan-chandrasekaran.in.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S39 4	1	("20050289188").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S39 5	0	xw adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S39 6	1	("6009425").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S39 7	37	("3916387" "4677550" "4754326" "4821336" "4823310" "4914569" "4945474" "4965516" "5010478" "5123104" "5218696" "5230047" "5237678" "5430869" "5440732" "5475837" "5485607" "5490258" "5495609" "5537574" "5551027" "5551046" "5560007" "5694608" "5717919" "5812996" "5832508").PN. OR ("6009425").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S39 8	10	("6009425").URPN.	USPAT	OR	ON	2007/02/23 15:10
S39 9	13806	"database management system"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 0	70	neighborhood adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 1	0	S400 and data adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 2	0	free adj2 space adj2 tuple	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 3	82	index with space with lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S40 4	0	("nonadj2serializablewithtransaction").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/23 15:10
S40 5	154	free adj2 space adj4 (record or tuple)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 6	7	space adj2 between adj4 (record or tuple) and ("707/).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 7	0	non-serializable adj2 scan	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 8	0	non\$1serializable adj2 (scan or search or query)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S40 9	0	free adj space adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 0	37	partial with lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 1	188	index with tuples with table	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 2	4881	space adj2 between adj2 (row or tuples or objects)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 3	4520	space adj2 between adj2 (row or tuples or data)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 4	105	space adj2 between adj2 (row or tuples or data) same lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 5	78	database same lock with "data item"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 6	1	index adj2 lock adj2 scheme	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 7	654	"tree index" and database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S41 8	144	"tree index" and database and lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S41 9	1876	range adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 0	0	(neighborhood range) adj lock\$3 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 1	0	("nonadjserializableadjlock").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S42 2	0	non adj serializab\$5 adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 3	0	non adj serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 4	0	non-serializab\$5 adj scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 5	0	non-serializab\$5 with scan	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 6	0	non-serializab\$5 with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 7	0	non-serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S42 8	1914	serializ\$ with read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S429	98	serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S430	0	nonserializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S431	0	non-serializ\$ adj read	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S432	0	non-serializ\$ adj (read scan lock)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S433	144099	sn	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S434	43	read adj lock with (neighborhood space index)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S435	0	database near index with free adj space	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S436	176	(database near index) same (space)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S437	0	neighborhood near lock and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S438	2091	range near lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S439	152	range near lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S440	2	range near lock\$3 and (MGL or "multigranularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S44 1	354	additional with lock with mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S44 2	8	additional with lock with mode and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S44 3	30	non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S44 4	524	index adj lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S44 5	0	s-non-serializable	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S44 6	4179	(two multiple) with lock\$3 with mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S44 7	28	(two multiple) near2 lock\$3 with mode and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S44 8	0	neighborhood with lock and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S44 9	104	non-serializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S45 0	6	non-serializ\$4 with (read lock write)\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S45 1	81	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S45 2	0	xw adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S45 3	1	non adj2 serializable with lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S45 4	1	"index lock scheme"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S45 5	1	("5485607").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S45 6	1	non-serializab\$5 with lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S45 7	1	non-serializab\$5 with (lock scan read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S45 8	1	("6618720").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S45 9	2	neighborhood with lock and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:10
S46 0	1	("20050289188").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S46 1	1	("6009425").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/23 15:10
S46 2	4	free with space with tuple	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S46 3	5	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S46 4	70	neighborhood adj2 lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S46 5	7	non adj2 serializable with transaction	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S46 6	10	neighborhood adj2 locking	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S46 7	7	index with space with lock and ("707/").ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S46 8	69	free adj2 space adj2.record	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S46 9	52	free adj2 space adj4 (record or tuple) and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S47 0	4	"first locking mode" same "second locking mode"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S47 1	6	non\$1serializ\$ adj2 (scan or search or query or transaction)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S47 2	5	index with space with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/02/23 15:10
S47 3	41	database with lock with serial	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S47 4	12	data adj2 item adj2 lock with database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S47 5	29	partial adj2 lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S47 6	2	free adj space with lock same database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S47 7	44	index with tuples with table and ("707/").ccls"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10

EAST Search History

S478	18	space adj2 between adj2 (row or tuples or data) with lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S479	4	space adj2 between adj2 (row or tuples or data) with data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S480	25	"hash lock"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S481	2	row adj index with lock same data\$base	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S482	51	snei	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S483	18	xnei	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S484	96	database with lock\$ with scheme	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S485	16	access adj privileges with (data adj item)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S486	18	still adj2 allow adj2 read	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S487	22	"tree index" and database and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S488	21	"tree index" and ("707/").ccls. and lock with mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S489	19	new adj2 lock adj2 mode	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:10
S490	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S491	7	(non adj serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10

EAST Search History

S49 2	6	(non-serializable) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S49 3	10	new adj lock adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S49 4	32	non-serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S49 5	34	non adj serializab\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:10
S49 6	100	(neighborhood range) adj lock\$3 and "707/".ccls. and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S49 7	2	non-serializ\$ adj (read scan lock transaction)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S49 8	9	sn adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S49 9	3	new adj lock adj modes same (dbms database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S50 0	29	index adj lock and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S50 1	3	index adj lock and (lock near2 item)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11

EAST Search History

S50 2	22	read adj lock with (neighborhood space)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S50 3	5	(database near index) same (free adj space)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S50 4	3	(database near index) same (space) and \$serializable	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S50 5	61	neighborhood near lock	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S50 6	2	range near lock\$3 and MGL	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S50 7	3	range near lock\$3 and (MGL or "multi-granularity locking")	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S50 8	12	range near between near (tuples records)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S50 9	66	(new additional) with lock with mode and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S51 0	6	non-serializable with (transaction mode read)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S51 1	45	index adj lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S51 2	72	(two multiple) with lock\$3 with mode and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S51 3	30	non-serializable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:11

EAST Search History

S51 4	6	non-serializ\$4 with (read lock write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:11
S51 5	81	index with lock same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:11
S51 6	40	index near2 lock\$3 same (read write) and ("707/").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:11
S51 7	37	mohan-chandrasekaran.in.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S51 8	37	("3916387" "4677550" "4754326" "4821336" "4823310" "4914569" "4945474" "4965516" "5010478" "5123104" "5218696" "5230047" "5237678" "5430869" "5440732" "5475837" "5485607" "5490258" "5495609" "5537574" "5551027" "5551046" "5560007" "5694608" "5717919" "5812996" "5832508").PN. OR ("6009425").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S51 9	10	("6009425").URPN.	USPAT	OR	ON	2007/02/23 15:11
S52 0	195	database same lock with row	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S52 1	125	lock\$ with mode with database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S52 2	136	(neighborhood range) adj lock\$3 and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11

EAST Search History

S52 3	296	index adj lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S52 4	225	index with lock and ("707/").ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S52 5	308	neighborhood with lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/23 15:11
S52 6	678	range adj locking	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:11
S52 7	1990	mohan.in.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/23 15:11
S52 8	43	("20030078910" "20030200212" "20040015642" "20040267747" "20040139116" "20040205066" "20040220933" "20040267747" "4627019" "4875159" "5170480" "5280612" "5287496" "5313629" "5390316" "5410697" "5423037" "5440727" "5452445" "5485607" "5497483" "5555404" "5577240" "5586310" "5621795" "5701480" "5708812" "5737601" "5758337" "5781910" "5796999" "5806075" "5809503" "5852715" "5870758" "5923833" "5974427" "6009425" "6122645" "6233585" "6295610" "6351753" "6631478" "6647510").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:39
S52 9	30	S528 and lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 15:48